Sample Name:

SJNBL046_X

THIS PRODUCT IS INTENDED FOR RESEARCH USE ONLY

Safety Precaution

It is recommended that protective gloves, clothing, and facemasks are always worn when handling frozen vials. Some vials leak when submersed in liquid nitrogen and then fill with liquid nitrogen. Thus, the vial may explode or blow off its cap upon thawing. This is dangerous as there may be flying debris.

Unpacking and Storage Instructions

- 1. Check containers for breakage/leakage
- 2. Remove frozen cells from dry ice packaging and immediately place below -130°C (preferably liquid nitrogen vapor) until ready for use.
- 3. When ready for use, standard protocols for thawing of cryo-preserved vials have been included.

Sample Information

Name: SJNBL046 X

Organism: Homo sapiens, human

Disease: Neuroblastoma

Primary Site: Adrenal gland

Known Metastatic Sites: Bone

Age: 2 years old


Gender: M

Other Clinical Info: high-risk stage 4, MYCN amplified, tumor

resected after 4 courses of chemotherapy


Morphology: Schwannian-stroma-poor, poorly differentiated

Histology





Electron Microscopy



Transmission electron micrograph of SJNBL046_X showing dense core vesicles (inset arrows)

Sample Name:


SJNBL046_X

High through-put Screening


384 Plating Density: 1750 cells/ 25 uL

Media: cells are resuspended in matrigel and plated manually on ice at a volume of 5μL/well. Plates are centrifuged at 750 rpm for 1 minute at 4°C. Place plates into an incubator at 37°C to allow the matrigel to polymerize for 10 minutes. The plates are removed from the incubator and 20μL/well DMEM/10% FBS is added to each well (total volume 25 μL/well)


Additional Characterization



Spectral karyotype analysis of SJNBL046_X showing the MYCN amplification on a double minute fragment and several translocations, losses and gains



Fluorescence in situ hvbridization for MYCN




DNA Profile

Amelogenin: X, Y CSF1PO: 11, 12 D13S317: 12 D16S539: 12, 13 D5S818: 11 D7S820: 11, 12 THO1: 9, 9.3 TPOX: 8, 9 vWA: 16, 19


HTS using primary cultures in 384 well plates, read out by cell titer glow at 72 hours post-drugging

Additional Characterization



Sample Name:


SJNBL046_X



Heat map of correlation of DNA methylation (Illumina 450K) across SJNBL046_D and two SJNBL046_X samples (primary and metastatic)

Circos plot showing the coding region single nucleotide variations (SNV) across SJNBL046_D (patient sample) and SJNBL046_X (xenograft sample). Those genes with SNVs in both the SJNBL046_D and SJNBL046_X samples are shown in black and those unique to SJNBL046_X are in blue.

Mutation Heatmap







Clonal evolution SJNBL046_X is in Group 4

Group 1: O-PDX recapitulates the clonal distribution in the patient tumor

Group 2: O-PDX recapitulates the clonal distribution in the patient tumor but continued to evolve in mice and acquired new SNVs

Group 3: O-PDX represents the major clone of the patient tumor but not all clones; all Group 3 O-PDX tumors continued to evolve in mice and acquired new SNVs **Group 4**: O-PDX represents a minor clone (<10% of patient tumor) and continued

For a visual description please see https://www.stjude.org/content/dam/en_US/shared/ www/research/cstn-clonal-evolution.pdf

**Additional characterization is available upon request including WGS, Exome, RNA-Seq, WGBS


Citation of CSTN Resources:

Please acknowledge the Childhood Solid Tumor Network and cite this reference in publications: **SJNBL**

Stewart E, Federico S, Karlstrom A, Shelat A, Sablauer A, Pappo A, Dyer MA., 2016, *The Childhood Solid Tumor Network: A new resource for the developmental biology and oncology research communities*. Dev Biol 411:287-93

Sample Name:

SJNBL046_X



Scatterplot of correlation in gene expression arrays for SJNBL046_D (patient sample) and SJNBL046_X (xenograft sample) with a 0.92 correlation coefficient

Contact Information:

CSTN@stjude.org

Learn More:

www.stjude.org/CSTN

